



Safety data sheet

According to 91/155 EEC

Printing date 04.09.2015

Revision: 04.09.2015

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** C - THRU 250 ml
- **Article number:** 422
- **Application of the substance / the preparation** Rain dispersant product for and windows
- **Details of the supplier of the safety data sheet**
- **Further information obtainable from:**
 WYNN OIL SOUTH AFRICA (PTY) LTD
 22 Mopedi Road,
 Sebenza, Edenvale
 1609
 Gauteng
 South Africa
 Tel: 2711 609 3708
 Fax: 2711 609 3708
 techical@wynns.co.za
- **Emergency telephone number:** Tel: 2711 609 3708

2 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** -

- **Dangerous components:**

| | | | |
|-----------|----------------|---------------------------------------|----------|
| 67-63-0 | propan-2-ol | Xn R65; Xi R36/38; F R11; N R51/53 | 70-90% |
| 7664-93-9 | sulphuric acid | C R35 H314 | 0.5-1.0% |

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
 Xi; Irritant
 R36/38: Irritating to eyes and skin.
- F; Highly flammable
 R11: Highly flammable.
- R53: May cause long-term adverse effects in the aquatic environment.
- **Information concerning particular hazards for human and environment:**
 The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
 N/A
- **Classification system:**
 The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **Label elements**
- **Labelling according to EU guidelines:**
 Observe the general safety regulations when handling chemicals.

(Contd. on page 2)

Safety data sheet

According to 91/155 EEC

Printing date 04.09.2015

Revision: 04.09.2015

Trade name: C - THRU 250 ml

(Contd. of page 1)

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**

Xi Irritant

F Highly flammable

· **Hazard-determining components of labelling:**

propan-2-ol

· **Risk phrases:**

11 Highly flammable.

36/38 Irritating to eyes and skin.

53 May cause long-term adverse effects in the aquatic environment.

· **Safety phrases:**

2 Keep out of the reach of children.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

46 If swallowed, seek medical advice immediately and show this container or label.

4 First aid measures

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

5 Firefighting measures

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Protective equipment:** No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

ZA

(Contd. on page 3)

Safety data sheet

According to 91/155 EEC

Printing date 04.09.2015

Revision: 04.09.2015

Trade name: C - THRU 250 ml

(Contd. of page 2)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:**
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
 - Keep container tightly sealed.
 - Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

67-63-0 propan-2-ol

| | |
|--------------------|--|
| OEL (South Africa) | Short-term value: 1225 mg/m ³ , 500 ppm |
| | Long-term value: 980 mg/m ³ , 400 ppm |

7664-93-9 sulphuric acid

| | |
|--------------------|---|
| OEL (South Africa) | Short-term value: 3 mg/m ³ |
| | Long-term value: 1 mg/m ³ |
| IOELV (EU) | Long-term value: 0.05 mg/m ³ |

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

ZA

Safety data sheet

According to 91/155 EEC

Printing date 04.09.2015

Revision: 04.09.2015

Trade name: C - THRU 250 ml

(Contd. of page 3)

· **Eye protection:**

Tightly sealed goggles

9 Physical and chemical properties

· **General Information**· **Appearance:**

Form: Liquid
Colour: As per product specification

· **Odour:** Characteristic· **Odour threshold:** Not determined.· **pH-value:** Solvent.· **Change in condition****Melting point/Melting range:** Undetermined.**Boiling point/Boiling range:** 82 °C· **Flash point:** 13 °C· **Flammability (solid, gaseous):** Not applicable.· **Ignition temperature:** 425 °C· **Decomposition temperature:** Not determined.· **Self-igniting:** Product is not selfigniting.· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.· **Explosion limits:****Lower:** 2.0 Vol %**Upper:** 12.0 Vol %· **Vapour pressure at 20 °C:** 43 hPa· **Density:** Not determined.· **Relative density:** Not determined.· **Vapour density:** Not determined.· **Evaporation rate:** Not determined.· **Solubility in / Miscibility with water:**

Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:****Dynamic:** Not determined.**Kinematic:** Not determined.· **Solvent content:****Organic solvents:** 89.0 %**VOC (EC)** 89.00 %

(Contd. on page 5)

ZA

Safety data sheet

According to 91/155 EEC

Printing date 04.09.2015

Revision: 04.09.2015

Trade name: C - THRU 250 ml

(Contd. of page 4)

· **Other information** No further relevant information available.

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

67-63-0 propan-2-ol

| | | |
|------------|----------|----------------------|
| Oral | LD50 | 5045 mg/kg (rat) |
| Dermal | LD50 | 12800 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 30 mg/l (rat) |

· **Primary irritant effect:**

· **on the skin:**

Irritant to skin and mucous membranes.

Acute

· **on the eye:**

Irritating effect.

Minor

· **Sensitization:** Minor

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Additional ecological information:**
- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

ZA

Safety data sheet

According to 91/155 EEC

Printing date 04.09.2015



Revision: 04.09.2015

Trade name: C - THRU 250 ml

(Contd. of page 5)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

| | |
|---|---|
| · UN-Number | N/A |
| · ADR, IMDG, IATA | UN2924 |
| · UN proper shipping name | 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), SULPHURIC ACID) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), SULPHURIC ACID) |
| · ADR | |
| · IMDG, IATA | |
| · Transport hazard class(es) | N/A |
| · ADR, IMDG, IATA | |
|   | |
| · Class | 3 Flammable liquids. |
| · Label | 3+8 |
| · Packing group | N/A |
| · ADR, IMDG, IATA | II |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Warning: Flammable liquids. |
| · Danger code (Kemler): | 338 |
| · EMS Number: | F-E,S-C |
| · Segregation groups | Acids |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| · ADR | |
| · Limited quantities (LQ) | 1L |
| · Transport category | 2 |
| · Tunnel restriction code | D/E |

15 Regulatory information

- **Labelling according to EU guidelines:**
Observe the general safety regulations when handling chemicals.
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 7)

ZA

Safety data sheet
According to 91/155 EEC

Printing date 04.09.2015

Revision: 04.09.2015

Trade name: C - THRU 250 ml

(Contd. of page 6)

· **Code letter and hazard designation of product:**

Xi Irritant
F Highly flammable

· **Hazard-determining components of labelling:***propan-2-ol*· **Risk phrases:**

11 Highly flammable.
36/38 Irritating to eyes and skin.
53 May cause long-term adverse effects in the aquatic environment.

· **Safety phrases:**

2 Keep out of the reach of children.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
46 If swallowed, seek medical advice immediately and show this container or label.

· **National regulations:**

| Class | Share in % |
|-------|------------|
| NK | 89.0 |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H314 Causes severe skin burns and eye damage.
R11 Highly flammable.
R35 Causes severe burns.
R36/38 Irritating to eyes and skin.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65 Harmful: may cause lung damage if swallowed.

· **Department issuing MSDS:**

WYNN OIL SOUTH AFRICA 9 PTY) LTD
22 Mopedi Road
Sebenza, Edenvale
1609
Gauteng
South Africa
Tel: 2711 609 3708
Fax: 2711 609 2218
technical@wynns.co.za

· **Contact: 2711 609 3708**· *** Data compared to the previous version altered.**