



Safety data sheet

According to 91/155 EEC

Printing date 27.10.2015

Revision: 27.10.2015

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** CLEEN GREEN Squeezer 500 ml
- **Article number:** 461
- **Application of the substance / the preparation**
Cleans and removes household, automotive and general grease and grime.
- **Details of the supplier of the safety data sheet**
- **Further information obtainable from:**
WYNN OIL SOUTH AFRICA (PTY) LTD
22 Mopedi Road,
Sebenza, Edenvale
1609
Gauteng
South Africa
Tel: 2711 609 3708
Fax: 2711 609 3708
techical@wynns.co.za
- **Emergency telephone number:** Tel: 2711 609 3708

2 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixtures

Dangerous components:

67-63-0	propan-2-ol Xn R65; Xi R36/38; F R11; N R51/53	5-15%
111-76-2	2-butoxyethanol Xn R20/21/22; Xi R36/38 H302; H312; H332; H315; H319; H227	3-10%
68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs. C R35; Xn R22 H301; H314; H318	1-5%
64-02-8	tetrasodium ethylenediaminetetraacetate Xn R22 H301	1-5%
68439-46-3	Alcohol Ethoxylate Xn R22; Xi R41; N R51/53 H411; H401	1-5%
1310-73-2	sodium hydroxide C R35 H314	1-5%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

Xi; Irritant

(Contd. on page 2)

Safety data sheet

According to 91/155 EEC

Printing date 27.10.2015

Revision: 27.10.2015

Trade name: CLEEN GREEN Squeezer 500 ml

(Contd. of page 1)

R36/38: Irritating to eyes and skin.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

N/A

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

Label elements

Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Code letter and hazard designation of product:

Xi Irritant

Hazard-determining components of labelling:

propan-2-ol

Benzenesulfonic acid, C10-16-alkyl derivs.

sodium hydroxide

Risk phrases:

36/38 Irritating to eyes and skin.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases:

2 Keep out of the reach of children.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

46 If swallowed, seek medical advice immediately and show this container or label.

4 First aid measures

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

5 Firefighting measures

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Protective equipment:** No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Not required.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

Safety data sheet

According to 91/155 EEC

Printing date 27.10.2015

Revision: 27.10.2015

Trade name: CLEEN GREEN Squeezer 500 ml

(Contd. of page 2)

- Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

67-63-0 propan-2-ol

OEEL (South Africa)	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
---------------------	--

111-76-2 2-butoxyethanol

OEEL (South Africa)	Long-term value: 120 mg/m ³ , 25 ppm Sk
IOELV (EU)	Short-term value: 246 mg/m ³ , 50 ppm Long-term value: 98 mg/m ³ , 20 ppm Skin

1310-73-2 sodium hydroxide

OEEL (South Africa)	Short-term value: C 2 mg/m ³
---------------------	---

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

Safety data sheet

According to 91/155 EEC

Printing date 27.10.2015

Revision: 27.10.2015

Trade name: CLEEN GREEN Squeezer 500 ml

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **General Information**

- **Appearance:**

Form:	Liquid
Colour:	As per product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.

- **pH-value:** 11.9

- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 240 °C

- **Decomposition temperature:** Not determined.

- **Self-igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower:	1.1 Vol %
Upper:	12.0 Vol %

- **Vapour pressure at 20 °C:** 43 hPa

Density at 20 °C:	0.995 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

- **Solubility in / Miscibility with water:** Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

Dynamic:	Not determined.
-----------------	-----------------

(Contd. on page 5)

Safety data sheet

According to 91/155 EEC

Printing date 27.10.2015

Revision: 27.10.2015

Trade name: **CLEEN GREEN Squeezer 500 ml**

(Contd. of page 4)

Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	25.0 %
VOC (EC)	25.00 %
Solids content:	1.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

67-63-0 propan-2-ol

Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

1310-73-2 sodium hydroxide

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**

- **on the skin:**

Irritant to skin and mucous membranes.

No irritating effect.

- **on the eye:** Irritating effect.

- **Sensitization:** No irritating effect.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 6)

Safety data sheet
According to 91/155 EEC

Printing date 27.10.2015

Revision: 27.10.2015

Trade name: **CLEEN GREEN Squeezer 500 ml**


Harmful to aquatic organisms

(Contd. of page 5)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	N/A	
· ADR, IMDG, IATA	UN1760	
· UN proper shipping name	1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, Benzenesulfonic acid, C10-16-alkyl derivs.)	
· ADR		
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, Benzenesulfonic acid, C10-16-alkyl derivs.)	
· Transport hazard class(es)	N/A	
· ADR, IMDG, IATA		
· Class		8 Corrosive substances.
· Label		8
· Packing group	N/A	
· ADR, IMDG, IATA	III	
· Environmental hazards:	No	
· Marine pollutant:		
· Special precautions for user	Warning: Corrosive substances.	
· Danger code (Kemler):	80	
· EMS Number:	F-A,S-B	
· Segregation groups	Alkalis	
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· ADR		
· Limited quantities (LQ)	5L	
· Transport category	3	
· Tunnel restriction code	E	

ZA

(Contd. on page 7)

Safety data sheet

According to 91/155 EEC

Printing date 27.10.2015

Revision: 27.10.2015

Trade name: **CLEEN GREEN Squeezer 500 ml**

(Contd. of page 6)

15 Regulatory information

· **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**

Xi Irritant

· **Hazard-determining components of labelling:**

propan-2-ol

Benzenesulfonic acid, C10-16-alkyl derivs.

sodium hydroxide

· **Risk phrases:**

36/38 Irritating to eyes and skin.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Safety phrases:**

2 Keep out of the reach of children.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

46 If swallowed, seek medical advice immediately and show this container or label.

· **National regulations:**

Class	Share in %
NK	25.0

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H227 Combustible liquid.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

R11 Highly flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R22 Harmful if swallowed.

R35 Causes severe burns.

R36/38 Irritating to eyes and skin.

R41 Risk of serious damage to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

· **Department issuing MSDS:**

WYNN OIL SOUTH AFRICA 9 PTY) LTD

22 Mopedi Road

(Contd. on page 8)

Safety data sheet
According to 91/155 EEC

Printing date 27.10.2015

Revision: 27.10.2015

Trade name: CLEEN GREEN Squeezer 500 ml

(Contd. of page 7)

Sebenza, Edenvale

1609

Gauteng

South Africa

Tel: 2711 609 3708

Fax: 2711 609 2218

technical@wynns.co.za

· **Contact:** 2711 609 3708

· *** Data compared to the previous version altered.**

ZA