



Tyre Fix 340ml

Safety Data Sheet

according to Regulations (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

MSDS Version: E01.00

Date of issue: 15/01/2017

1. COMPANY DETAILS Wynn Oil SA PTY (Ltd)	22 Mopedi Road, 1609 Johannesburg - South Africa T +27 11 6093708 info@wynns.co.za - www.wynns.co.za Emergency number : +27 11 6093708
2. MATERIAL IDENTIFICATION AND USE	
<i>MATERIAL NAME:</i>	Tyre Fix 340ml
<i>SYNONYMS:</i>	Emergency Puncture Repair
<i>COMPOSITION:</i>	Mono Ethylene Glycol Ammonia LatexRubber Demineralised Water Hydrocarbon Propellant
<i>TRACE ELEMENTS (TYPICAL):</i>	N/A
<i>MATERIAL USE:</i>	See Synonyms
3. HAZARDS IDENTIFICATION	
<i>FLAMMABILITY:</i>	Highly
<i>EXPLOSION HAZARD:</i>	Yes – if subjected to prolonged temperatures above 55°C
4. FIRE FIGHTING MEASURES	Dry Foam, CO2 Self contained breathing apparatus
5. ACCIDENTAL RELEASE	No hazard Product will evaporate almost entirely
6. HANDLING AND STORAGE:	As for all aerosols. Do not use near fire or flame. Do not puncture or incinerate Keep away from heat and sunlight
7. EXPOSURE CONTROLS AND PERSONAL PROTECTION	
<i>SINGLE EXPOSURE EFFECTS:</i>	Be careful to spray with button facing away from face
<i>INHALATION:</i>	Dizziness and Nausea
<i>EYES:</i>	Will burn eyes
<i>SKIN:</i>	Drying (defatting) of skin – irritation of

<i>REPEATED EXPOSURES:</i>	Sensitive or inflamed areas
<i>SKIN:</i>	Could aggravate drying effect
<i>INHALATION:</i>	See single exposure
8. FIRST AID MEASURES	
<i>SKIN</i>	Wash thoroughly with soap and water. Apply emollient cream
<i>INHALATION</i>	Remove person to fresh air. Administer oxygen – if respiratory arrest Occurs perform C.P.R
<i>EYES:</i>	Wash thoroughly with plenty of water. Seek medical help if necessary.
9. PHYSICAL AND CHEMICAL PROPERTIES	
<i>APPEARANCE:</i>	Opaque White liquid
<i>ODOUR:</i>	Characteristic Hydrocarbon smell
<i>VOLATILITY:</i>	N/A
<i>SOLUBILITY (H₂O):</i>	Not soluble
<i>MELTING POINT:</i>	N/A
<i>SPECIFY GRAVITY:</i>	SG: 1.008
<i>BULK DENSITY:</i>	N/A
10. STABILITY AND REACTIVITY	
<i>STABILITY:</i>	Minimum 24 months' shelf life – if stored under recommended conditions.
<i>INCOMPATIBILITY:</i>	Corrosive surroundings
<i>HAZARDOUS DECOMPOSITION PRODUCTS:</i>	Acid fumes on exposure to high temperatures.
11. TOXICOLOGICAL INFORMATION:	
	Not available
12. ECOLOGICAL INFORMATION:	
	Not packed with Fluorocarbons

13. DISPOSAL CONSIDERATION	Landfill
14. TRANSPORT INFORMATION	Transport as flammable liquid
15. OTHER INFORMATION	
PRECAUTIONARY NOTE:	N/A
16. DISCLAIMER	
CONTENTS OF CAN <i>CHEMICALS:</i>	<p>All information supplied is based on Laboratory tests and field trials. Data is to the best of our knowledge correct – we cannot be held responsible in the event of misuse or abuse of this material as conditions of use are beyond our control.</p> <p>Mono Ethylene Glycol Ammonia Latex Rubber Demineralized Water Hydrocarbon Propellant</p>