

TECHNICAL DATA SHEET

Date : 12/10/2015
Reference : 001/2015
Product Code: 498
Bar Code : 6001296004981



ADVANCED ENGINE TREATMENT

Introduction.

Wynn's Advanced Engine Treatment improves the lubricating and cleaning properties of engine oils, reduces friction and prevents formation of black sludge and varnish.

Benefits.

- Protects and enhances modern engines.
- Reduces friction and wear.
- Conditions metal surfaces.
- Retards oil ageing.
- Reduces fuel consumption.
- Prevents oxidation and premature thickening of the oil.
- Stops formation of sludge and deposits.
- Retards fouling of the oil filter.
- Does not harm catalytic converters.
- Compatible with all mineral, synthetic, single- and multigrade oils and suitable for regular and low SAPS applications.

Advantages to the user.

- Superior oil quality over extended oil change intervals
- Longevity of engine life
- Better fuel consumption
- Better protection against wear in stop/ start vehicles

Directions for use.

Add to engine oil at every oil change or between oil changes
325ml treats 2.5 to 5 litres engine oil.

Packsizes.

12 x 325 ml

Physical Specifications.

Odour	: Characteristic
Appearance	: Brown Oil
Specific gravity @ 20°C	: 0.8770
Flash point (PMCC) °C	: >220



TECHNICAL DATA SHEET

Health and Safety Data.

Material Safety Data Sheets are available from the company

Shelf Life.

Whilst **Wynn's** products are formulated to have as long a shelf life as possible, other factors do influence their actual useful life. Handling and storage conditions can cause packaging deterioration which could render the product unfit for further use. From time to time products are superseded by upgraded products and/or changed formulations and older products will no longer have the same performance level or be compatible with latest technology being introduced into equipment.

It is therefore the responsibility of the purchaser of the product to ensure proper storage conditions, stock rotation and timely usage to prevent products from becoming unsuitable for use.

Expiry date: 2 Years from manufacture date.

