



1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** WYNN'S VALVEGUARD UPPER CYLINDER LUBE
- **Article number:** 520
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation**
Protects valves with the use of low lead or unleaded fuels or in high performance competition where extra protection is required. When in doubt about the suitability of unleaded petrol for your car, have the added protection of WYNN'S VALVE GUARD.
- **Details of the supplier of the safety data sheet**
- **Further information obtainable from:**
Wynn's South Africa
702 Main Pretoria Road
Wynberg
Sandton
2090
SOUTH AFRICA
Tel: 2711 786 9070
Fax: 2711 786 9069
- **Emergency telephone number:** Tel: 2711 786 9070

2 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

111-84-2	Turposol (Nonane) R10 ⚠ H226	33.0%
8008-20-6	Kerosine (petroleum) ⚠ Xn R65 ⚠ H304	1-10%
64742-82-1	Naphtha (petroleum), hydrodesulfurized heavy ⚠ Xn R65	1-5%
91-20-3	naphthalene ⚠ Xn R22-40; ⚠ N R50/53 ⚠ H351; ⚠ H400; H410; ⚠ H302	0.1-5%
80584-90-3	sn - 100 (Agip) sn 90	55-65%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
R10: Flammable.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)



Safety data sheet

According to 91/155 EEC

Printing date 17.10.2011

Revision: 17.10.2011

Trade name: WYNN'S VALVEGUARD UPPER CYLINDER LUBE

(Contd. of page 1)

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- **Hazard-determining components of labelling:**

Naphtha (petroleum), hydrodesulfurized heavy

- **Risk phrases:**

10 Flammable.

- **Safety phrases:**

2 Keep out of the reach of children.

20 When using do not eat or drink.

23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

4 First aid measures

- **Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

- **After skin contact:** Immediately rinse with water.

- **After eye contact:** Rinse opened eye for several minutes under running water.

- **After swallowing:** If symptoms persist consult doctor.

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Firefighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Advice for firefighters**

- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

(Contd. on page 3)



Safety data sheet
According to 91/155 EEC

Printing date 17.10.2011

Revision: 17.10.2011

Trade name: WYNN'S VALVEGUARD UPPER CYLINDER LUBE

(Contd. of page 2)

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: *No special requirements.*

· Information about storage in one common storage facility: *Not required.*

· Further information about storage conditions: *Keep container tightly sealed.*

· Specific end use(s) *No further relevant information available.*

8 Exposure controls/personal protection

· Additional information about design of technical facilities: *No further data; see item 7.*

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: *The lists valid during the making were used as basis.*

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures: *Wash hands before breaks and at the end of work.*

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Safety data sheet
According to 91/155 EEC

Printing date 17.10.2011

Revision: 17.10.2011

Trade name: WYNN'S VALVEGUARD UPPER CYLINDER LUBE

(Contd. of page 3)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Liquid

Colour:

As per product specification

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

Melting point/Melting range:

Undetermined.

Boiling point/Boiling range:

151°C

· **Flash point:**

31°C

· **Ignition temperature:**

205°C

· **Decomposition temperature:**

Not determined.

· **Self-igniting:**

Product is not selfigniting.

· **Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

Lower:

0.7 Vol %

Upper:

5.6 Vol %

· **Vapour pressure at 20°C:**

4.7 hPa

· **Density:**

Not determined.

· **Relative density**

Not determined.

· **Vapour density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

· **Segregation coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic:

Not determined.

Kinematic:

Not determined.

· **Solvent content:**

Organic solvents:

33.7 %

VOC (EC)

33.70 %

(Contd. on page 5)

ZA



Safety data sheet

According to 91/155 EEC

Printing date 17.10.2011

Revision: 17.10.2011

Trade name: WYNN'S VALVEGUARD UPPER CYLINDER LUBE

(Contd. of page 4)

· **Other information**

No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Slightly Irritant
- **on the eye:** No irritating effect.
- **Sensitization:** Slightly Irritant

12 Ecological information

- **Toxicity**
- **Acquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

ZA

(Contd. on page 6)



Trade name: WYNN'S VALVEGUARD UPPER CYLINDER LUBE

(Contd. of page 5)

14 Transport information

- **Land transport ADR/RID (cross-border)**
- **UN proper shipping name:** 1993 FLAMMABLE LIQUID, N.O.S. (NONANES, ISOPROPANOL (ISOPROPYL ALCOHOL))
- **Maritime transport IMDG:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to EU guidelines:**
Observe the general safety regulations when handling chemicals.
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
- **Hazard-determining components of labelling:**
Naphtha (petroleum), hydrodesulfurized heavy
- **Risk phrases:**
10 Flammable.
- **Safety phrases:**
2 Keep out of the reach of children.
20 When using do not eat or drink.
23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- **National regulations:**

Class	Share in %
NK	33.8
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R10 Flammable.
- R22 Harmful if swallowed.
- R40 Limited evidence of a carcinogenic effect.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed.

(Contd. on page 7)



Safety data sheet
According to 91/155 EEC

Printing date 17.10.2011

Revision: 17.10.2011

Trade name: WYNN'S VALVEGUARD UPPER CYLINDER LUBE

(Contd. of page 6)

· **Department issuing MSDS:**

Wynn`s South Africa
72 Main Pretoria Road
Wynberg
Sandton
2090

SOUTH AFRICA
Tel: 2711 786 9070
Fax: 2711 786 9069

· *** Data compared to the previous version altered.**

ZA