



## Safety data sheet

According to 91/155 EEC

Printing date 14.11.2011

Revision: 14.11.2011

### 1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

· **Trade name:** WYNN'S DASH CAR INTERIOR SPRAY - LAVENDER 250ml

· **Article number:** 463

· **Application of the substance / the preparation**

For the rubber and vinyl surfaces on the car, like the dash, plastic bumpers, trim, matt surfaces, door and trunk rubbers. It will also remove polish traces from plastic and rubber trim.

· **Details of the supplier of the safety data sheet**

· **Further information obtainable from:**

Wynn's South Africa  
702 Main Pretoria Road  
Wynberg  
Sandton  
2090

SOUTH AFRICA  
Tel: 2711 786 9070  
Fax: 2711 786 9069

· **Emergency telephone number:** Tel: 2711 786 9070

### 2 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

64742-81-0	Kerosine (petroleum), hydrodesulfurized	Xn R65 H304	20-30%
74-98-6	propane	F+ R12 H220;  H280	20-25%
78-70-6	Linalool	Xi R43 H317; H227; H303	1-5%
9072-35-9	Swan Benzine		55-62%
63148-62-9	Silicone Oil		3-10%
110-27-0	isopropyl myristate	H303	1.00.5-2.0%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 3 Hazards identification

· **Classification of the substance or mixture**

· **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

Xi; Sensitising

R43: May cause sensitisation by skin contact.

F+; Extremely flammable

R12: Extremely flammable.

R53: May cause long-term adverse effects in the aquatic environment.

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Warning! Pressurized container.

(Contd. on page 2)



## Safety data sheet

According to 91/155 EEC

Printing date 14.11.2011

Revision: 14.11.2011

**Trade name: WYNN'S DASH CAR INTERIOR SPRAY - LAVENDER 250ml**

(Contd. of page 1)

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- **Code letter and hazard designation of product:**

Xi Irritant

- **Risk phrases:**

43 May cause sensitisation by skin contact.

53 May cause long-term adverse effects in the aquatic environment.

12 Extremely flammable.

- **Safety phrases:**

2 Keep out of the reach of children.

3 Keep in a cool place.

25 Avoid contact with eyes.

- **Classification in accordance with Directive 75/324/EEC: Extremely flammable**

### 4 First aid measures

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water.

- **After swallowing:** If symptoms persist consult doctor.

### 5 Firefighting measures

- **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.

- **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:** Absorb liquid components with liquid-binding material.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

ZA

(Contd. on page 3)



## Safety data sheet

According to 91/155 EEC

Printing date 14.11.2011

Revision: 14.11.2011

Trade name: WYNN'S DASH CAR INTERIOR SPRAY - LAVENDER 250ml

(Contd. of page 2)

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:**  
Do not spray onto a naked flame or any incandescent material.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

#### 74-98-6 propane

OEL (South Africa)	1800 mg/m <sup>3</sup> , 1000 ppm
--------------------	-----------------------------------

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

ZA

(Contd. on page 4)



**Safety data sheet**  
According to 91/155 EEC

Printing date 14.11.2011

Revision: 14.11.2011

Trade name: WYNN'S DASH CAR INTERIOR SPRAY - LAVENDER 250ml

(Contd. of page 3)

### 9 Physical and chemical properties

· <b>General Information</b>	
· <b>Appearance:</b>	
Form:	Aerosol
Colour:	As per product specification
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Change in condition</b>	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	-44°C
· <b>Flash point:</b>	-97°C
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	470°C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
Lower:	1.7 Vol %
Upper:	10.9 Vol %
· <b>Vapour pressure at 20°C:</b>	8300 hPa
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Segregation coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
· <b>Solvent content:</b>	
Organic solvents:	16.3 %
VOC (EC)	16.29 %
Solids content:	0.1 %
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 5)



**Safety data sheet**  
According to 91/155 EEC

Printing date 14.11.2011

Revision: 14.11.2011

Trade name: WYNN'S DASH CAR INTERIOR SPRAY - LAVENDER 250ml

(Contd. of page 4)

· **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant
- **on the eye:** Irritant
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

### 12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |                                  |                     |
|----------------------------------|---------------------|
| · <b>UN-Number</b>               |                     |
| · <b>ADR, IMDG, IATA</b>         | UN1950              |
| · <b>UN proper shipping name</b> |                     |
| · <b>ADR</b>                     | 1950 AEROSOLS       |
| · <b>IMDG</b>                    | AEROSOLS            |
| · <b>IATA</b>                    | AEROSOLS, flammable |

(Contd. on page 6)

ZA



**Safety data sheet**  
According to 91/155 EEC

Printing date 14.11.2011

Revision: 14.11.2011

Trade name: WYNN'S DASH CAR INTERIOR SPRAY - LAVENDER 250ml

(Contd. of page 5)

· **Transport hazard class(es)**· **ADR**

· **Class** 2 5F Gases.  
· **Label** 2.1

· **IMDG, IATA**

· **Class** 2.1  
· **Label** 2.1

· **Packing group**· **ADR, IMDG, IATA** Void· **Environmental hazards:**· **Marine pollutant:** No· **Special precautions for user** Warning: Gases.· **Danger code (Kemler):** -· **EMS Number:** F-D,S-U

· **Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**· **ADR**· **Tunnel restriction code** D

## 15 Regulatory information

· **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**

Xi Irritant

· **Risk phrases:**

43 May cause sensitisation by skin contact.

53 May cause long-term adverse effects in the aquatic environment.

12 Extremely flammable.

· **Safety phrases:**

2 Keep out of the reach of children.

3 Keep in a cool place.

25 Avoid contact with eyes.

· **Classification in accordance with Directive 75/324/EEC:** Extremely flammable

(Contd. on page 7)

ZA



**Safety data sheet**  
According to 91/155 EEC

Printing date 14.11.2011

Revision: 14.11.2011

**Trade name: WYNN'S DASH CAR INTERIOR SPRAY - LAVENDER 250ml**

(Contd. of page 6)

· **National regulations:**

Class	Share in %
NK	16.3

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

H220 Extremely flammable gas.

H227 Combustible liquid.

H280 Contains gas under pressure; may explode if heated.

H303 May be harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

R12 Extremely flammable.

R43 May cause sensitisation by skin contact.

R65 Harmful: may cause lung damage if swallowed.

· **Department issuing MSDS:**

Wynn`s South Africa

72 Main Pretoria Road

Wynberg

Sandton

2090

SOUTH AFRICA

Tel: 2711 786 9070

Fax: 2711 786 9069

· **\* Data compared to the previous version altered.**

ZA