



## Safety data sheet

According to 91/155 EEC

Printing date 10.04.2015

Revision: 19.02.2015

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** DIESEL SYSTEM PURGE
- **Article number:** 711
- **Application of the substance / the preparation**  
Cleans the entire injector system and injector components without dismantling.
- **Details of the supplier of the safety data sheet**
- **Further information obtainable from:**  
WYNN OIL SOUTH AFRICA ( PTY ) LTD  
22 Mopedi Road,  
Sebenza, Edenvale  
1609  
Gauteng  
South Africa  
Tel: 2711 609 3708  
Fax: 2711 609 2218  
technical@wynns.co.za
- **Emergency telephone number:** Tel: 2711 609 3708

### 2 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Blend of inorganic oxide, silicate, cellulose and carbonate.

· **Dangerous components:**

111-84-2	Nonane	Xn R65;  N R51/53 R10 ----- H226;  H304;  H411; H401	15-40%
107-98-2	1-methoxy-2-propanol	R10 ----- H226	3-10%
27247-96-7	2- Ethylhexyl Nitrate	Xn R20-65;  N R51/53 R44 ----- H304;  H411;  H332; H401	3-10%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 3 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

Xn; Harmful

R65: Harmful: may cause lung damage if swallowed.

N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R10: Flammable.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

N/A

(Contd. on page 2)



## Safety data sheet

According to 91/155 EEC

Printing date 10.04.2015

Revision: 19.02.2015

Trade name: DIESEL SYSTEM PURGE

(Contd. of page 1)

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- **Risk phrases:**

10 Flammable.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.

- **Safety phrases:**

2 Keep out of the reach of children.

46 If swallowed, seek medical advice immediately and show this container or label.

### 4 First aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

### 5 Firefighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

(Contd. on page 3)



## Safety data sheet

According to 91/155 EEC

Printing date 10.04.2015

Revision: 19.02.2015

Trade name: DIESEL SYSTEM PURGE

(Contd. of page 2)

- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

#### 107-98-2 1-methoxy-2-propanol

OEL (South Africa)	Short-term value: 550 mg/m <sup>3</sup> , 150 ppm Long-term value: 370 mg/m <sup>3</sup> , 100 ppm Sk
IOELV (EU)	Short-term value: 568 mg/m <sup>3</sup> , 150 ppm Long-term value: 375 mg/m <sup>3</sup> , 100 ppm Skin

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

- **General Information**

- **Appearance:**

**Form:** Liquid

**Colour:** As per product specification

- **Odour:** Characteristic

- **Odour threshold:** Not determined.

- **pH-value:** Not determined.

(Contd. on page 4)



## Safety data sheet

According to 91/155 EEC

Printing date 10.04.2015

Revision: 19.02.2015

Trade name: DIESEL SYSTEM PURGE

(Contd. of page 3)

· <b>Change in condition</b>	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	151 °C
· <b>Flash point:</b>	31 °C
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	205 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Explosion limits:</b>	
Lower:	0.7 Vol %
Upper:	5.6 Vol %
· <b>Vapour pressure at 20 °C:</b>	4.7 hPa
· <b>Density at 20 °C:</b>	0.88 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
· <b>Solvent content:</b>	
Organic solvents:	61.5 %
VOC (EC)	61.48 %
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Slightly Irritant
- **on the eye:** No irritating effect.
- **Sensitization:** Slightly Irritant

ZA

(Contd. on page 5)



**Safety data sheet**  
According to 91/155 EEC

Printing date 10.04.2015

Revision: 19.02.2015

Trade name: DIESEL SYSTEM PURGE

(Contd. of page 4)


### 12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· <b>UN-Number</b>	N/A
· <b>ADR, IMDG, IATA</b>	UN1920
· <b>UN proper shipping name</b>	
· <b>ADR</b>	1920 NONANES, solution
· <b>IMDG, IATA</b>	NONANES, solution
· <b>Transport hazard class(es)</b>	N/A
· <b>ADR, IMDG, IATA</b>	
	
· <b>Class</b>	3 Flammable liquids.
· <b>Label</b>	3
· <b>Packing group</b>	N/A
· <b>ADR, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Warning: Flammable liquids.
· <b>Danger code (Kemler):</b>	30
· <b>EMS Number:</b>	F-E,S-E
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.

(Contd. on page 6)

ZA



**Safety data sheet**  
According to 91/155 EEC

Printing date 10.04.2015

Revision: 19.02.2015

Trade name: DIESEL SYSTEM PURGE

(Contd. of page 5)

· **Transport/Additional information:**· **ADR**

- |                           |     |
|---------------------------|-----|
| · Limited quantities (LQ) | 5L  |
| · Transport category      | 3   |
| · Tunnel restriction code | D/E |

### 15 Regulatory information

· **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Risk phrases:**

- 10 Flammable.  
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
65 Harmful: may cause lung damage if swallowed.

· **Safety phrases:**

- 2 Keep out of the reach of children.  
46 If swallowed, seek medical advice immediately and show this container or label.

· **National regulations:**

Class	Share in %
NK	61.5

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H332 Harmful if inhaled.  
H401 Toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.  
R10 Flammable.  
R20 Harmful by inhalation.  
R44 Risk of explosion if heated under confinement.  
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65 Harmful: may cause lung damage if swallowed.

· **Department issuing MSDS:**

(Contd. on page 7)

ZA



**Safety data sheet**  
According to 91/155 EEC

Printing date 10.04.2015

Revision: 19.02.2015

**Trade name: DIESEL SYSTEM PURGE**

WYNN OIL SOUTH AFRICA (PTY) LTD

22 Mopedi Road

Sebenza, Edenvale

1609

Gauteng

South Africa

Tel: 2711 609 3708

Fax: 2711 609 2218

technical@wynns.co.za

· **Contact:** 2711 609 3708· **\* Data compared to the previous version altered.**

(Contd. of page 6)

ZA