



## Safety data sheet

According to 91/155 EEC

Printing date 21.04.2015

Revision: 21.04.2015

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** DIESEL FLEET INJECTOR AND TURBO CLEANER
- **Article number:** 381
- **Application of the substance / the preparation** Cleans and restores injector and turbo performance.
- **Details of the supplier of the safety data sheet**
- **Further information obtainable from:**  
 WYNN OIL SOUTH AFRICA ( PTY ) LTD  
 22 Mopedi Road,  
 Sebenza, Edenvale  
 1609  
 Gauteng  
 South Africa  
 Tel: 2711 609 3708  
 Fax: 2711 609 3708  
 techical@wynns.co.za
- **Emergency telephone number:** Tel: 2711 609 3708

### 2 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** -

#### · Dangerous components:

111-84-2	Nonane	Xn R65;  N R51/53 R10 ----- H226;  H304;  H411; H401	60-80%
	Fuel Additive	Xn R20/21-48;  Xi R36/37/38 R10 ----- H226;  H311;  H332; H315; H319; H335	10-30%
1306-38-3	cerium dioxide	T R23 ----- H330	2-4%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 3 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

Xn; Harmful

R48-65: Danger of serious damage to health by prolonged exposure. Harmful: may cause lung damage if swallowed.

N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R10: Flammable.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

N/A

(Contd. on page 2)

ZA



## Safety data sheet

According to 91/155 EEC

Printing date 21.04.2015

Revision: 21.04.2015

**Trade name: DIESEL FLEET INJECTOR AND TURBO CLEANER**

(Contd. of page 1)

· **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· **Label elements**

· **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**

Xn Harmful

N Dangerous for the environment

· **Hazard-determining components of labelling:**

Nonane

Fuel Additive

· **Risk phrases:**

10 Flammable.

48 Danger of serious damage to health by prolonged exposure.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.

· **Safety phrases:**

2 Keep out of the reach of children.

45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

### 4 First aid measures

· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Immediately rinse with water.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

### 5 Firefighting measures

· **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Protective equipment:** No special measures required.

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



## Safety data sheet According to 91/155 EEC

Printing date 21.04.2015

Revision: 21.04.2015

**Trade name: DIESEL FLEET INJECTOR AND TURBO CLEANER**

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)



## Safety data sheet

According to 91/155 EEC

Printing date 21.04.2015

Revision: 21.04.2015

**Trade name: DIESEL FLEET INJECTOR AND TURBO CLEANER**

(Contd. of page 3)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

· **General Information**

· **Appearance:**

**Form:** Liquid  
**Colour:** As per product specification

· **Odour:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** 151 °C

· **Flash point:** 31 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 205 °C

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

**Lower:** 0.7 Vol %

**Upper:** 5.6 Vol %

· **Vapour pressure at 20 °C:** 4.7 hPa

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

**Dynamic:** Not determined.

(Contd. on page 5)



**Safety data sheet**  
According to 91/155 EEC

Printing date 21.04.2015

Revision: 21.04.2015

**Trade name: DIESEL FLEET INJECTOR AND TURBO CLEANER**

(Contd. of page 4)

<b>Kinematic:</b>	Not determined.
<b>· Solvent content:</b>	
<b>Organic solvents:</b>	80.0 %
<b>VOC (EC)</b>	80.00 %
<b>Solids content:</b>	1.0 %
<b>· Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritating effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No irritating effect.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Carcinogenic.

### 12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

ZA



**Safety data sheet**  
According to 91/155 EEC

Printing date 21.04.2015

Revision: 21.04.2015

Trade name: DIESEL FLEET INJECTOR AND TURBO CLEANER

(Contd. of page 5)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· <b>UN-Number</b>	N/A	
· <b>ADR, IMDG, IATA</b>	UN1993	
· <b>UN proper shipping name</b>	1993 FLAMMABLE LIQUID, N.O.S. (NONANES, Fuel Additive), ENVIRONMENTALLY HAZARDOUS	
· <b>ADR</b>		
· <b>IMDG</b>		
· <b>IATA</b>		
· <b>Transport hazard class(es)</b>	N/A	
· <b>ADR, IMDG</b>		
· <b>Class</b>		3 Flammable liquids.
· <b>Label</b>		3
· <b>IATA</b>		
· <b>Class</b>		3 Flammable liquids.
· <b>Label</b>	3	
· <b>Packing group</b>	N/A	
· <b>ADR, IMDG, IATA</b>	III	
· <b>Environmental hazards:</b>	Product contains environmentally hazardous substances: Nonane	
· <b>Marine pollutant:</b>	Yes	
· <b>Special marking (ADR):</b>	Symbol (fish and tree)	
· <b>Special precautions for user</b>	Warning: Flammable liquids.	
· <b>Danger code (Kemler):</b>	30	
· <b>EMS Number:</b>	F-E, S-E	
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.	
· <b>Transport/Additional information:</b>		
· <b>ADR</b>		
· <b>Limited quantities (LQ)</b>	5L	
· <b>Transport category</b>	3	

(Contd. on page 7)

ZA



**Safety data sheet**  
According to 91/155 EEC

Printing date 21.04.2015

Revision: 21.04.2015

Trade name: DIESEL FLEET INJECTOR AND TURBO CLEANER

(Contd. of page 6)

· Tunnel restriction code

D/E

### 15 Regulatory information

· **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**

Xn Harmful

N Dangerous for the environment

· **Hazard-determining components of labelling:**

Nonane

Fuel Additive

· **Risk phrases:**

10 Flammable.

48 Danger of serious damage to health by prolonged exposure.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.

· **Safety phrases:**

2 Keep out of the reach of children.

45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.

Exceptions can be made by the authorities in certain cases.

Class	Share in %
NK	80.0

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

R10 Flammable.

R20/21 Harmful by inhalation and in contact with skin.

R23 Toxic by inhalation.

(Contd. on page 8)



**Safety data sheet**  
According to 91/155 EEC

Printing date 21.04.2015

Revision: 21.04.2015

**Trade name: DIESEL FLEET INJECTOR AND TURBO CLEANER**

(Contd. of page 7)

R36/37/38 Irritating to eyes, respiratory system and skin.

R48 Danger of serious damage to health by prolonged exposure.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

· **Department issuing MSDS:**

WYNN OIL SOUTH AFRICA 9 PTY ) LTD

22 Mopedi Road

Sebenza, Edenvale

1609

Gauteng

South Africa

Tel: 2711 609 3708

Fax: 2711 609 2218

technical@wynns.co.za

· **Contact:** 2711 609 3708

· **\* Data compared to the previous version altered.**

ZA